

Independent Schools' Federation of India (Regd.)

An Association of schools affiliated to C.I.S.C.E. and C.B.S.E. all over !ndia Office: F-125, A&B, Aditya Arcade, Community Centre, Opp. CBSE, Preet Vihar Delhi 1,0092

Mobile: 9958109033. Email: isfiindia@yahoo.com

Vice-Chairman
DDA
Vikas Sadan
INA

Subject: DDA Review of MPD-2021 - rermission for utilization of School

Subject: DDA Review of MPD-2021 Permission for utilization of School premises in Delhi for Teacher Training Programs after school hours.

Ref No. (1) F1(5) 2011/Dir(plg) MPR&TC/192/DDA
(2) MOUD NOK-12011/4/2011 DDIB/D206

OFFICE OF THE DIR (PIG.)

MPRITO, D.D.A.N. DELHI-2

Respected Sir.

With reference to ongoing Review of Master Plan are Delhi 2021 of DDA, the Management Action Group of DDA while discussing Enforcement and Allan Monitoring in its meeting dated 28.06.2012. Enclosed here-with is a copy of the minutes of the meeting issued by DDA vide No. F.1(5) 2011/Dir.(plg) MPR &TC/192 in which above referred subject was discussed vide item number (VI) with respective MOUD letter number K-12011/4/2011-DDIB dated 3.4.2012 and DDA diary no 2061 dated 20.4.2012. The about above referred subject and decided to refer the matter to the National Council of Teacher Education (NCTE) and AICTE.

1. As whi "cool the state sha

As per existing provision of Master Plan 2021 (copy enclosed) which is presently is under review/extensive modifications..... "coaching centre/vocational training centres are permissible in the school classes after school hours...." and further Master Plan state that "structured courses leading directly to degree/diploma shall, however not be permitted" and.... It is against this very ill-convinced provision for not permitting Degree/Diploma in education related courses that we are requesting for your kind considerations and order.

With the recent of introduction of Right to Education (RTE) historic chapter ir. Education initiated by Govt of India, there is a educator Teachers quality decline in qualification/training. Ιt is B.Ed/M.Ed/ETE/ECCE understood that your Excellency has taken steps to extend the benefit of awarding the full fledge degree and diplomas to vocation training too. Thereby extending this benefit to down trodden section of our society which till date have been denied these benefits. The above fast changing scenario calls for immediate other steps which are required to be taken for proper implementation of the important steps initiated by your Excellency.

- 3. The ill-convinced provisions in the MPD-2021 for denial of degree/diploma courses in schools are proving obstacle of stone in implementation of Policies conceived and initiated by your good self. It is further pointed out that till date DDA has not year marked any specific plot in the entire city for conducting degree/diploma classes in teachers' education. These very ill convinced provisions in MPD-2021 are resulting in the lack of these teacher training courses Degree/Diploma are part of the good school education are directly leading to exodus of potential of good quality education in these courses aspirant to the neighboring state and even to far flung areas.
- 4. Thus all could be easily avoided by modification in the already ongoing master plan review by merely adding the following provisions after which the modified MPD-2021 clause II of chapter 13 of education would read as "coaching centres/vocational training centres/teacher training centres leading to degree/diploma would be permissible in school after school hours.."

Your Excellency is requested to endorse the modification to DDA to incorporate the above in the above ongoing review of MPD-2021.

With Warm Regards

N.P. veema

Senior Vice President





DELHI DEVELOPMENT AUTHORITY

(Master Plan Review Section) 6th Floor: Vikas Minar

New Delhi: 110002; Ph. No.-23379731

No. F.1 (5)2011/Dir.(Plg)MPR & TC/ 192

Date: 12.07.2012

Sub: Minutes of the 4th Meeting of Management Action Group on "Enforcement & Plan Monitoring" for Review of MPD-2021

Fourth Meeting of Management Action Group (MAG) on "Enforcement & Plan Monitoring" was held on 28.06.2012 under the Chairmanship of Vice Chairman, DDA, at Conference room, B-Block, Vikas Sadan, INA. The copy of the approved minutes are enclosed herewith for further necessary action.

(I.P. Parate)

Director (Plg.) MPR & TC

Copy to:

1.	Vice Chairman, DDA		Chairman
	Engineer Member, DDA		Member
	Pn. Secretary (Urban Development), GNCTD, Delhi		Member
	Chairperson (NDMC)		Member
	Commissioner (Plg) I, DDA	•	Member
	Commissioner (Plg) II, DDA		Member
	Commissioner (LM), DDA		Member
	Commissioner (LD), DDA		Member
	Director (DD), MoUD		Member

CO-OPTED EXPERT MEMBERS

- 1. Sh. J.C. Gambhir, Ex. Commissioner (Plg.), DDA
- 2. Prof. S.C.Gupta, Ex. Addl. Commissioner, DDA
- 3. Sh. V.K. Bagga, Ex. CTP, MCD
- 4. Addl. Commissioner (Plg.)iMPPR, DDA

SPECIAL INVITEES

- 1. Commissioner of Industries, Govt. of NCT of Delhi
- 2. Principal Secretary, Power, GNCTD, Delhi Transco Limited
- 3. Member Secretary, DPCC
- 4. Member Secretary, CPCB
- 5. Advisor NPIIC, DDA
- 6. Chief Architect, DDA
- 7. Chief Town Planner, MCD
- Addl. Commissioner (Landscape)
- 9. Director (Plg.) MP, DDA

OTHERS

- 1. P.S. to V.C., DDA
- 2. OSD to V.C., DDA
- 3. P.S. to Lt. Goveinor
- 4. Chairman, AICTE & NCTE
 - 5. P.S. to CMD, DSHDC



DELHI DEVELOPMENT AUTHORITY

(Master Plan Review Section) 6th Floor: Vikas Minar New Delhi:02; Ph: 23379731 294

No.F.1(5)/2011/Dir.(Plg.)MPR &TC/

Dt: 12.07.12

Subject: Minutes of the Fourth Meeting of the MAG on "Enforcement & Plan Monitoring" held on 28.06.2012

The Fourth meeting of the Management Action Group (MAG) on "Enforcement & Plan Monitoring" on Mid Term Review of MPD-2021 was held on 28.06.2012 under the Chairmanship of Vice Chairman, DDA at Vikas Sadan, New Delhi.

The following Members/Special Invitees attended the meeting.

- Vice-Chairman, DDA

- Chairman

- Commissioner (Plg)-I.,DDA

- Member

- Commissioner (Plg)-II.,DDA

- Member

Co-opted Expert Members

- Sh. S.C. Gupta, Consultant, Urban Development
- Sh.V.K.Bagga, Ex.CTP,MCD.
- Addl. Commissioner (Plg.)MPPR, DDA

Special Invitees

- Chief Architect, DDA
- Addl. Commissioner (LS), DDA
- Director (MP), DDA
- Director (MPR), DDA
- Dy. Director (Plg.), VC Office, DDA
- Sh. Sandeep Mishra, MS, DPCC
- Sh. BMS Reddy, SE, DPCC
- Sh. G. Krishna Rao, Architect, NDMC
- Sh. Bhupendra Nath, General Manager (Plg.), Delhi Transco
- Sh. B. Kumar, Addl. Director, DPCC
- Sh. U.N. Singh, Addl. Director
- Sh. Nizammuddin, Sr. Environment Engineer
- Sh. H.L. Malik, Consultant, DSIIDC
- Sh. J.S. Sindhu, Addl. Commissioner (Industries), G.N.C.T.D.
- Sh. Mukesh Kumar, Dy. Secretary (UD), G.N.C.T.D

Vice Chairman, DDA, welcomed, Finance Member, DDA, Members, Expert Members and all the Special Invitee for the Fourth Meeting of MAG on "Enforcement & Plan Menitoring". Thereafter Director (Plg.) MPR gave background of the issues to be discussed in the Meeting.

- Confirmation of the minutes of the 3rd meeting of "Enforcement & Plan Monitoring" held on 17.04.2012
 - Since there were no observations by any members, the minutes of the meeting of 17.04.2012 were confirmed.
- 2. Review of Action Taken Note of Third Meeting of MAG held on 17.04.2012
- i. TDR: The members of the MAG requested that the draft policy may also be circulated to all the members and Co-opted Expert Members for their observations/suggestion. V.C., DDA desired that the draft policy may be presented in the next meeting of the MAG.

Action: Advisor NPIIC and Dir. (MPR), DDA

3. Following specific issues & suggestions received in MPR unit of DDA were discussed during the meeting:

S.	No.	Issues/ Suggestion	Observation/Recommendation of the Group
(as	per		
agenda)		· · · · · · · · · · · · · · · · · · ·	1400 2021
iii)		Suggestion regarding	MAG observed that, as per MPD-2021 sports
		provision of Multi Gym in	activity is permitted in District Parks. However Addl. Commr. (Landscape) informed that the
		Green Areas.	provisions related to built up structure of the
		Forwarded by Addl. Commr. (LS), DDA Vide Dy. No.	sports activity/ multi gym and size of the park
	e 10 g	PA/Addl. Commr.	is not clear. After discussion MAG
		(LS)/2012/489.	recommended following modifications in MPD
		DDA Dy. No. – 976 Dt.	2021:
ĺ		11.05.12	Chapter 9, table 9.4
			Following note (iii) is to be added in table 9.4
}		<	(iii) Multi Gym may be permitted in
1			District/ Community Park having an area of
			more than 5 Ha. subject to maximum built-up
			area of 100 sq.m.
			Action: Director (MPR)
iv)		Suggestion with respect to	
		provision of fire crackers	1
		activity in Mixed Use	departments with certain conditions. As per
		Regulations. (Forwarded by Director (MP	· · · · · · · · · · · · · · · · · · ·
		& DC), DDA vide	1
		No.PS/Dir/MP/2012/D-232	areas, in view of its hazardous nature.
		DDA Dy. No. – 832 Dt.	
		02.04.12	recommended.
			Action: Director (MP)

Issue. related to Arc/Induction Furnace. Forwarded by Director (MP), vide No. Dv. Dir(Plg) MPPR/DDA/2012/F-291/22 Dt. 15.06.2012 along with High Court Order Dated 18.05.2012 WP (C) Nos. 13622/09, 13621/09, 8035/2011 13624/09 & (thereof opinion on S.No. 1 Arc/Induction Furnace in Annexure-III of MPD-2021)

of list Modification the in Industries: **Prohibited/Negative** Director DDA explained the background, (MP), provisions in MPD 2021, court orders, etc. in this regard. The representative of Apex Chamber of Commerce and Industries also presented the suggestions.

On this issue letter no. Dir.(Plg.)MPPR/DDA/2010/F-291/152 Dt. 15.06.12 was forwarded to Industries & Power Departments of GNCTD, DPCC, and CPCB. The officers from this departments were present and informed that no modification in the list of prohibited/negative industries (Chapter 7.0, Annexure (iii) for S.Nos. 1 (Arc/Induction Furnace), S.No. 38 (Foundries (Except Pit Foundries) & at S.No. 88 (Stainless Steel Pickling) is required. In view of their adverse impacts & pollution risks the officers from these departments were also requested by the Chairman to submit detailed reply in writing to MAG.

In view of all the submissions made before the MAG, it was decided by MAG not to make any amendments in MPD 2021.

Action: Industries & Power Departments of GNCTD, DPCC, and CPCB, Director (MP), DDA.

Suggestion received from Independent School's Federation of India, New Delhi.

(MoUD No. K-12011/4/2011-DDIB dt.3rd April, 2012, DDA diary No. 2061 dt 20.04.2012) Disposal of Vacant Nursery School Sites which already stand approved as part of LOP: No specific provision for nursery schools is proposed in MPD 2021. Pre-Primary **Schools** (including nursery/ Montessori School, crèche) is already permissible activity as part of mixed use policy in MPD 2021 & often such facilities are taken up as part of regular schools. In view of this, the nursery school sites in the approved layout plans are being utilized for need based public facilities as part of amendment in LOP. Hence, it does not invite any modification in the MPD 2021 as per MAG.

Use of School Sites for other Higher Educational activities and training etc. as per changing market needs: The suggestion of the association regarding permission of school plots for other higher educational activities including teachers

vi)

v)

training, vocational training etc. after the school hours needs further examination in consultation with the AICTE and NCTE. Hence, at this stage no modification in the MPD 2021 was recommended by the group.

Action: AICTE, NCTE & Director (MPR)

Vii) Suggestion received from Okhla Industrial Estate Association (Regd.) (MoUD No. K-12011/4/2011-DDIB dt. 3rd April, 2012, DDA Dairy No. 2058 & 2059 dt 20.04.2012)

Definition of Industrial Policy of GNCT Delhi 2010-2021: The strategy in Chapter on Industries is based on the prevailing Industrial Policy of GNCTD. Except educational activity for which MPD 2021 has a detailed policy provisions, norms & standards, all the other activities could be reviewed. For this, Dept. of Industries Govt. of NCTD may be requested to give specific suggestions for MPD review.

Action: Dept. of Industries, GNCTD

ii. Whole of Okhla Industrial Estate should be considered for benefits as part of Influence Zone corridor incentives: The regulations in this regard are in the process of notification. Exact earmarking of influence zone corridor is to be done by the local body as part of the Local Area Plans to be prepared. Hence in this case no amendment is recommended by the MAG in MPD-2021.

Action: SDMC

iii. Provision of Common Parking for plots upto 400 sq.m.: Since bigger plots have areas beyond the permissible ground coverage where parking requirements can be met, the request was not agreed and to be dealt as per the provisions of MPD 2021.

Location specific short falls in parking requirements could be covered in common parking lots, to be developed by the local body based on specific area requirements.

iv. Individual Sheds to be treated as Individual Industrial Plots: This mainly relates to the already approved layout plan by the local body and allotment conditions etc. Since the individual shed

		cannot be considered as a separate plot,
		the redevelopment incentive in such
ĺ	- -	cases can only be feasible for the entire
		row/ block of shed. This is to be dealt by
Ì	·	the concerned local body and hence no
		modification in MPD 2021 is
		recommended by MAG.
		v. Permission for 1.5 times existing
		permissible FAR: The regulations
		notified for Redevelopment of Planned
		Industrial Areas on 01.04.2011 are quite
		clear on this & the same was explained
	,	·
	,	during the meeting. No amendments in
		MPD 2021 were recommended by MAG.
	·	·
Viii)	Suggestion received	i. No of Workers: The suggestions related to
•	review/amendments of	the no. of workers & maximum power load
	regulations governing	in Household Industries was already
		1
	"Household Industries"-	discussed in the MAG meeting held on
	Master Plan 2021 received	28.12.2011, where officers from Industries
	from PHD Chamber of	Dept. and DSIIDC were present. DSIIDC was
	Commerce and Industry.	requested to examine the issue of
	(MoUD No. K-12011/4/2011-	maximum number of workers with
	DDIB dt. 3 rd April, 2012, DDA	reference to labour laws. DSIIDC may again
	Dairy No. 2057 dt	be requested to provide the status report in
	1	
,	20.04.2012)	next MAG meeting. The suggestion of
		removing the limit of 50 workers has
		already been agreed by MAG and AG.
	1	
		Action: DSIIDC
	***	ii. Suggestion in Para 3, 4 & 5 since are not
		related to MPD 2021, hence no
		modification is recommended by MAG.
ix)	Suggestion received from	i. Modification in the list of
•	Apex Chamber of	- -
	Commerce & Industry of	
	1	·
	NCT Delhi.	MPD 2021 already covered in item no.
	(MoUD No. K-12011/4/2011-	· · · ·
	DDIB dt. 3 rd April, 2012, DDA	ii. – DO-
	Dairy No. 2062 di	iii. Deletion of 50 workers from definition
	20.04.2012)	of Industrial Plot in table 7.3: This was
		discussed in MAG on 28.12.2011 & as
		recommended by the MAG & advisory
	†	group, this has been recommended by
1 .		1
Ï	,	the authority for modification in MPD
		2021 on 15.05.2012.
1		Action: Director (MP)
	1.	iv. Modification in the list of professional
	·	In mixed land use policy of MPD 2021:
		The suggestion to include other
L	_ 	1 1110 Jubbostion to melade Other

	T	The state of the s
		professional skills was not recommended by MAG in view of their likely impact on parking requirements, essential services & security concerns of the locality. v. Conversion of Lease Hold to Free Hold for individual floors: The suggestion is not related to MPD 2021 review.
X)	Suggestion received from Yesco Co-operative Group Housing Society Ltd. Regarding allotment of land to the Co-operative Group Housing Societies registered in Delhi. (DDA Dairy No. 2071 Dt. 20.04.2012)	Allotment of land to the Co-operative Group Housing Societies registered in Delhi who are still awaiting allotment of land: The suggestion here is not related to Master Plan Review. MAG did not recommend any modification.

The meeting ended with vote of thanks to the chair.

(I.P. Parate)

Director (Plg.) MPR & TC

Copy to

- All members of the group
- Special Invitees
- P.S. to V.C., DDA
- OSD to V.C., DDA
- P.S. to Lt. Governor
- Chairman, AICTE & NCTE
- P.S. to CMD, DSIIDC