The Director (Planning) MPR

Delhi Development Authority

6th Floor, Vikas Minar,

Delhi 110002

D. D. A. Vikas Minar N. DELHI & April 30th, 2012

Dy No. 2159

Deterline 274412

Subject: Suggestions for Mid-Term Review of Master Plan of Delhi 2021

Respected Sir,

In reference to the public notice dt. 04.10.2011 in Times of India regarding the review of modifications in the Master Plan of Delhi (MPD) 2021, the following suggestions / observations needs to be incorporated in the MPD to make it more viable, widely acceptable and development oriented:

| SI. | Chapter No / | Existing | Proposed Amendment |
|-----|---|---|--|
| | Section of MPD 2021 | Provision in MPD 2021 | |
| 1 | 3.3. REDEVELOPME NT OF EXISTING URBAN AREA 3.3.1.1. Planned Areas (A) | Influence Zone along MRTS and major Transport Corridor | Additional FAR of 400 for all properties falling in the Influence Zone along MRTS and major Transport Corridor be implemented on immediate basis. Building departments be directed to accept, process and approve the plans. |
| 2 | 3.3.2 GUIDELINES FOR REDEVELOPME NT SCHEMES Para (iii) a) | Planning Permission for an area of around 4 Ha. This permission may not be required in case an approved layout / Redevelopmen t / Regularisation plan exists. | Minimum planning area be reduced to 3,000sq.mt so that individual Group Housing falling under the Influence Zone can avail the additional FAR. |
| 3 | GUIDELINES FOR REDEVELOPME NT SCHEMES Para (iii) (b) 1 | Cluster Block for a minimum area of 3000 | The requirement to cluster a minimum area of 3,000smt be removed. Individual plots falling in Influence Zone be permitted higher FAR, Ground Coverage and Height relaxations. |

M2K Infrastructure Pvt. Ltd.

| | | | M2 |
|---|------------------|--|---|
| | | as to provide | |
| | | minimum 30% | ó |
| | | of area as | |
| | | common green | 1 |
| | | / soft parking | |
| | | besides | |
| | | circulation | |
| | | areas and | |
| | | common | |
| 4 | 2.0.0 | facilities. | |
| 4 | 3.3.2 | Individual | Plots smaller than 3,000smt should also be covered |
| | GUIDELINES | buildings shall | this para without amalgamation / cluster approval. |
| | FOR | be given | gernation, cluster approval. |
| | REDEVELOPME | sanction by the | |
| | NT SCHEMES | concerned | |
| | Para (iii) (b) 2 | authority | |
| | | within the | |
| | | framework of | |
| | | cluster block | |
| | | approval. | |
| 5 | 3.3.2 | To incentivise | To incontivise the |
| | GUIDELINES | the | To incentivise the redevelopment a maximum FAR o |
| | FOR | redevelopment | 50% over and above the existing permissible FAR or |
| | REDEVELOPME | a maximum | individual plots subject to a maximum of 600 shall be |
| | NT SCHEMES | overall FAR of | permissible. |
| | Para (v) | 50% over and | |
| | () | The second secon | |
| | | | |
| | Ni. | existing | |
| | | permissible FAR | |
| | | 1 | |
| | | on individual | |
| | | plots subject to | |
| | | a maximum of | |
| | | 400 shall be | |
| | | permissible. | |
| | | Higher FAR | |
| | | shall however | |
| | | not be | |
| | | permissible in | |
| | 8 | redevelopment | |
| | _ | of Lutyens | |
| | | Bungalow | |
| | | Zone, Civil | |
| | | Lines | |
| | | Bungalows | |
| | | Area and | |
| | | Monument | |
| | | regulated | |
| | | Zone. | |
| | Part Art Vive | | In to 200/ of the EAD |
| | | 80 0000 1 1000 | p to 20% of the FAR may be allowed for commercial |
| | | Preparation U | se instead of only 10%. |

| | | - |
|-------|----|--------|
| 70.77 | -2 | TAKE . |
| | | |

| | FOR | and arranged at | M2K |
|----|------------------|-------------------------------|--|
| | REDEVELOPME | and approval of | |
| | NT SCHEMES | 0.000 | |
| | Para (x) | comprehensive Redevelopmen | |
| | | t schemes and | |
| | | provision of | |
| | į. | parking and | |
| | | services, up to | |
| | | 10% of the FAR | |
| | | may be | |
| | | allowed for | |
| | | commercial use | |
| | | and 10% of the | |
| | | FAR for | |
| | | community | |
| | | facilities with a | |
| | | view to trigger | |
| | | a process of | |
| | | self-generating redevelopment | |
| | | redevelopment | |
| 7 | 4.4.3 A | 1. The local | While the MPD 2021 -II |
| | Residential Plot | | While the MPD 2021 allows to ensure that the |
| | - Plotted | concerned shall | Permissible FAR and Dwelling Units shall not be less than MPD-2001 norms by availing the norms applicable to the |
| | Housing | be competent | lower category of plot size, the number of dwelling units |
| | Notes | to disregard | should be allowed as per Area of Plot. |
| | | variation of | 1100 |
| | | upto 2% in plot | |
| | | size, arising | |
| | | from | |
| | | conversion of | |
| | | area from sq. | |
| Į. | | yard to sq.m. and to grant | |
| | | the norms | |
| | | applicable to | |
| | | the lower | |
| | | category of | |
| _ | | plot size in | |
| | = | accordance | |
| | | to para (ii) | |
| | | below. | |
| | | /::\ Th = + - + - | |
| | | (ii) The total | |
| | | coverage and FAR | |
| | | permissible in | |
| | | any plot in a | |
| | | category, shall | |
| | | not be less | a |
| | | than that | |
| | | | |

| | 1 | II.A | 7 |
|---|---|------|---|
| 7 | | M | |

| | | | M2 |
|----|------------------|-----------------------------------|---|
| | | permissible | |
| | | and available | |
| | | to the largest | |
| | | plot in the next | |
| | | lower category | ed. |
| | | | |
| | | 5. Permissible | |
| | | FAR and | |
| | | Dwelling Units | |
| | | shall not be | |
| | | less than MPD- | |
| 8 | 4.4.3 A | 2001 norms. | |
| | Residential Plot | | Height of Stilt Area of 2.4mts should not be counted in |
| | - Plotted | | Building height or else 18mt height be permitted to |
| | Housing | | Plotted Housing. |
| 9 | 4.4.3 B | Maximum FAR: | 24. |
| ē | Residential Plot | 200 | to 400. Also up to |
| | - Group | 200 | 20% of the FAR may be allowed for commercial use. |
| | Housing | | |
| 10 | 4.4.3 B | Maximum | Mayimum Dawyiii I G |
| | Residential Plot | Ground | Maximum Permitted Ground Coverage be increased to |
| | - Group | Coverage: 33% | 40%. |
| | Housing | coverage. 55% | |
| 11 | 4.4.3 B | Parking 2.0 | Parking a server to the |
| | Residential Plot | ECS/100 sqm | Parking norms should be restored to 1.33 ECS /100sqm |
| | - Group | built up area | built up area upto 1.67 FAR as permitted in MPD 2001 & |
| | Housing | built up al ea | the increased parking norms of 2.0 ECS /100sqm built up |
| 12 | 4.4.3 B | The density may | area be applied on increased FAR only (200 -167 = 33). |
| | Residential Plot | vary (10% | Density variation of + / - 30% be allowed instead of 10%. |
| | - Group | variation | |
| | Housing | permissible in all | ii ii |
| | Para (i) | categories) for specific | |
| | | categories as | |
| | | given below: | |
| | | (a) Category I | |
| | | (upto 40 sq.m) - | |
| | | 500 DUs/Ha. | |
| | | (b) Category II (above 40-upto | |
| | - | 80 sqm) 250 | |
| | | DUs/Ha. | |
| | | (c) Category III - | |
| | | 175 Dus/Ha. | |
| 13 | 4.4.3 B | (above 80sqm) | |
| 20 | Residential Plot | Additional floor | Additional Floor Area at the rate of 7% of permissible |
| | - Group | area up to a | FAR or 2,000 sq.mt, whichever is higher be allowed free |
| | Housing | maximum of 400smt shall be | from FAR to cater to the community needs as |
| | | 200 | community / recreational halls, crèche, library, reading |
| | 2 3 | 300 | rooms, senior citizen recreation room and society office. |
| | 1 | | The concept of "A |
| | | | The concept of "Accommodation Reservation" should be |
| | | ds sucil ds | extended to Group Housing so that all Community |

| | 1 | E AV |
|--|---|------|
| | | K |

| | | | M21 |
|----|---|---|--|
| | | community / recreational hall, crèche, library, reading room and society office. In addition to above, 100 sq.m. area shall be permissible for Senior Citizen Recreation Room. | |
| 14 | 4.4.3 B Residential Plot - Group Housing Para (iii) | | Following activities should also be permitted in the Community Centre: Card rooms, Gymnasium, Change Rooms and Spa, Snooker Room, Billiards Room, Guest Rooms, Meeting Rooms, Business Centre, Multi-media Room, Meditation & Yoga Room. |
| 15 | 4.4.3 B Residential Plot - Group Housing Para (v) | The developer shall ensure that minimum 15% of FAR or 35% of the dwelling units, whichever is more, are constructed for Community-Service Personnel / EWS and lower category. Such flats should have a carpet area between 25 - 40 sqm. | The requirement of EWS Housing from individual Group Housing projects be removed and the developers be asked to deposit a fee of Rs. 50,000/- (Rupees Fifty Thousand) per Normal Unit which can be utilised by the Authority to make EWS with all amenities and facilities at a single location. The procedure / norms / guidelines for construction, allotment, handover, and maintenance of the EWS Units be specified. |
| 16 | 4.4.3 B Residential Plot - Group Housing Para (viii) | Stilts: If the | Stilts up to 5 meters height be permitted without being counted in FAR. |

| | | | M2K |
|----|--|---|---|
| | | floor need not be included in FAR and shall be counted towards height. | |
| 17 | 4.4.3 B Residential Plot - Group Housing Para (ix) | Basement, if constructed, and used only for parking, utilities and services shall not be counted towards FAR. | sports and community recreation activities and service |
| 18 | 4.4.3 B Residential Plot - Group Housing | | To meet the increasing parking requirements, Podium Parking up to 100% of the plot area be allowed without being counted in Ground Coverage and FAR. Ground Coverage be achieved above Podium Parking. |
| 19 | 4.4.3 B Residential Plot - Group Housing | | Stack Parking on Surface be permitted without being counted in Ground Coverage and FAR. |
| 20 | 4.4.3 B Residential Plot - Group Housing | | Contiguous Balconies be permitted in Group Housing. Also the maximum width of Balconies be revised to 1800mm from 1200mm with no restriction in its maximum area. |
| 21 | 4.4.3 B Residential Plot - Group Housing | | Pergolas / Canopies be permitted at Tower Entrances free from Ground Coverage and FAR. |
| 22 | 4.4.3 B Residential Plot - Group Housing | | Pergolas / Canopies in Landscape / Elevation / Terraces be permitted free from Ground Coverage and FAR. |
| 23 | .50 | | Revised norms of Parking, units for EWS personnel and density should only be made applicable only on the enhanced FAR from MPD 2001. |
| 24 | | | Transferable Development Rights: It must be permitted to transfer the unutilised / balance / additional development rights (FAR) in a plot to another plot subject to a maximum of 600 FAR on the |
| 25 | | | plot where the FAR is proposed to be utilised. Area provided for Circulation Spaces, Staircases, Exit ways, Means of Escape, Swimming Pools, and Service areas on Ground, Upper and Terrace Floors should not be counted in FAR. It will ensure that people does not compromise on these aspects due to FAR considerations and the overall building experience will be enhanced. |
| 26 | | . I | n Plotted Housing, Lifts shall be permitted upto Basements. |
| 27 | | | Service Toilets should be allowed in Stilts / Basements |

| | M2K |
|----|---|
| | for drivers, watchman, housekeepers, gardener requirements without being counted in FAR. |
| 28 | Need to review / revise the Building Bye Laws (BBL) to incorporate the modifications of MPD including simplification of procedures for Single Window Clearance for all Buildings. |
| 29 | The provision of Atrium, may be 100 Sqm or 2% extra ground coverage and free of FAR, whichever is more, should be given to Residential Group Housing projects also. Any extra area provided in these atria, which is more than required as per above stipulations, can be counted towards Ground coverage and FAR |
| 30 | Extra heights should be permitted in Basement to accommodate Mechanised Car Parking. |
| 31 | Although the Zonal plans have been notified, identification of Influence Zone along MRTS has not been completed in the Zonal plans as per MPD norms. MPD should identify the Influence Zone immediately so that the benefit of MPD schemes as envisaged can be availed by the public. |

We hope that you will appreciate the above concerns and suggestions in the mid term review of the MPD and incorporate them in the revised version of MPD 2021.

Thanking You,

Yours sincerely,

aun

for M2K Infrastructure Pvt. Ltd.

Director

CC to:

- Hon'ble Union Minister, MoUD Nirman Bhawan
- 2) Secretary, MoUD Nirman Bhawan, New Delhi
- LG, Delhi,
 Raj Niwas, Delhi
- 4) VC, DDA Vikas Sadan, INA, New Delhi
- Commissioner Planning-I, DDA Vikas Minar, IP Estate, New Delhi
- 6) Commissioner Planning-II, DDA Vikas Minar, IP Estate
- 7) Director, Delhi Division, MoUD Nirman Bhawan, New Delhi

M2K Infrastructure Pvt. Ltd.