



दिल्ली विकास प्राधिकरण
DELHI DEVELOPMENT AUTHORITY

मुख्य योजना - 2021 की समीक्षा
Master Plan Review-2021

पंजीकरण फार्म
REGISTRATION FORM

"ओपन हाउस मीट्स"
"OPEN HOUSE MEETS"

फार्म प्रतिभागी द्वारा भरा जाए
Form to be filled by Participant

89

(Suggestion given directly
to Moderator)


Zone F

| | |
|---|--|
| नाम Name | P.S. BHATI |
| प्रतिनिधि : Representing : सरकारी विभाग / फेडरेशन / संघ (एसोसिएशन) / आर डब्लू ए / व्यक्तिगत Government Department/ Federation/Association/RWA/ Individual | Unrecognised Primary Schools in Delhi |
| वर्तमान स्थिति Present Position | Land requirement increased |
| फोन : कार्यालय Phone : Office आवास Residence मोबाइल Mobile | 9136402716 26833242 |
| फैक्स : Fax : | |
| ई-मेल E-mail | p.s.bhati.20@gmail.com |
| पता : Address : | G-20 East of Kailash, N.D.A. |
| हस्ताक्षर : Signature : | P.S. Bhati |
| तिथि : Date : | 8-5-2012 |

OFFICE OF THE DIR (PIO)
MPR/TO, D.D.A., DELHI-2
By No. 2809
Dated 11/5

"अपने पंजीकरण फार्म ओपन हाउस मीट्स के स्थल पर जमा कराएं"

"Submit your registration form at the venue of Open House meets."



Mr. P. S. Bhati

89

AASTHA INSTITUTE FOR ADVANCED STUDIES

Running Aastha Public School since 1-4-2005.

23-04-2012

Received
23/4/12

To

The Director Planning (MPR),
D.D.A., 6th Floor, Vikar Minar,
I.P. Estate, New Delhi - 110002

Sub :- Review of Master Plan Delhi-2021 - Request for grant of relaxation in recognition to Primary Schools which were functioning on the date of notification i.e. 07-02-2007 - your Advertisement dt. 18-2-12

Respected Sir,

Primary Schools imparting education to Nursery and Primary students of economically weaker sections of the unauthorized colonies prior to notification of MPD-2021. They applied for recognition of Primary Schools to M.C.D. after completing formalities under Delhi School Education Act & Rules, 1973. On 07-02-2007, the Delhi Master Plan was notified by the Ministry of Urban Development, in which under section 4.2.2.2 B requirement of land for Primary Schools increased from 200 sq.yards to 1000 sq.yards (800 sq.mtr) per 5000 population. It is not possible physically & financially to procure 5 times increased land in any colony of Delhi. This will jeopardize the Govt.'s Right to Education Act, 2009 for providing compulsory education to all. Standing Committee of MCD passed the Resolution No. 834 dated 07-11-2008 to reduce the requirement of 800 sq.mtr land.

In order to improve the physical & social infrastructure in the context of Right to Education Act, the Development Control Norms of MPD-2021 need to be relaxed. As a social justice, it is very much desirable to allow recognition of private schools which were actually functioning on the date of MPD-2021 notification in the larger public interest.

MCD's thrust for relaxation and request for various sizes of plot of land say 200/300/400/800 sq.mtr (based on No. of sections) for recognition of schools vide dated 21.04.2009 & 07.03.2011 are enclosed for your kind consideration at an early date *alternately DDA should provide desired land for schools at concessional rates in Revised Master Plan MPD-2021.*
Thanking You,

M - 9136402716

Yours faithfully

P. S. Bhati

(P.S. Bhati)
Chairman

hindustantimes

Sunday, April 29, 2012

Neelam Pandey, Hindustan Times

New Delhi, January 08, 2012

[Email to Author](#)

First Published: 23:01 IST (8/1/2012)

Last Updated: 23:03 IST (8/1/2012)

MCD seeks flexible master plan rules for city schools

To ensure that neighbourhood schools running in the city do not head towards closure, MCD has written to the Union urban development (UD) minister, asking him to make eligibility guidelines flexible. As per Delhi Master Plan 2021 guidelines, all primary schools in the city need to have at least 800 sqm of land and a plot area of 0.2 to 0.4 hectares. But a number of private schools do not meet this criterion.

With urban development minister Kamal Nath emphasising the need for a review of the Master Plan, MCD too wants this issue to be addressed.

There are about 2,800 primary schools in Delhi, of which 757 are recognised by the MCD. Most are small neighbourhood schools. Also, 400-odd schools are still waiting MCD recognition as they do not fulfil the eligibility criteria.

"We have suggested that the area limit should be lowered to 300 sqm but the proposal is still pending with the government. We are now planning to meet the minister to tackle this issue," said Mahender Nagpal, chairman of MCD's education committee.

According to the MCD officials, all these schools will not be able to fulfil the criteria. "If we follow the Right to Education guidelines, most schools will have to be shut down. In any part of the city, constructing a primary school with 800 sqm area will cost nearly Rs 8 crore," said a senior MCD official.

"We have requested the government to make the rules flexible," added Nagpal.

<http://www.hindustantimes.com/StoryPage/Print/793294.aspx>

© Copyright © 2012 HT Media Limited. All Rights Reserved.

Speed Post

MUNICIPAL CORPORTION OF DELHI
EDUCATION DEPARTMENT: HQ
15TH FLOOR, CIVIC CENTER
Minto Road, New Delhi – 110002.

No: - D/1197/ADE/Grant/HQ/2011

Date: - 30/3/12

Manager,

आस्था पब्लिक स्कूल
रहले - 1 रु 177 समीप बुद्ध बाजार संगम विहार
न. दिल्ली 62

Subject:- Decision regarding request for recognition of your School.

Please refer to your application dated 9.1.09 for the recognition of your School (आस्था पब्लिक स्कूल रहले - 1 रु 177 समीप बुद्ध बाजार संगम विहार) under Delhi School Education Act & Rules, 1973.

In this regard it is to inform that as per provision of MPD 2021 implemented w.e.f. 07.02.2007 the minimum requirement of land is 800 Sq. Meter for this purpose of recognition of a primary School.

Since, the size of plot of your School is less than 800 Sq. Meters, your request for recognition of the School cannot be considered and thus may be treated as rejected.

30/3/12
Addl. Director (Edn.)-I

Paying Income Tax from
2005-06 onwards

Permanent Tax Exemption
under 80G is a Fiscal
Approval by Govt.



OFFICE OF THE
DIRECTOR OF INCOME TAX (E),
3RD FLOOR, AAYKAR BHAWAN,
DISTT. CENTRE LAXMI NAGAR,
DELHI-110092

No. DIT(E)/2011-12/A-2337/ 714

DATED: 11/07/11

NAME & ADDRESS OF THE APPLICANT:

AASTHA INSTITUTE FOR ADVANCED STUDIES
G-20, EAST OF KAILASH, NEW DELHI-110065

SUB: ORDER UNDER SECTION 80G (5)(vi) OF THE INCOME TAX ACT, 1961

On verification of the facts stated before me/hearing before me, I have come to the conclusion that this organization satisfies the conditions u/s 80G of the Income Tax act, 1961. The institution/Fund is granted approval subject to the following conditions:-

1. The Donee institution shall forfeit this benefit provided under the law, if any of the conditions stated herein is not complied with/abused/whittled down or in any way violated.
2. This exemption is valid for the period **A.Y. 2011-2012 ONWARDS TILL IT IS RESCINDED** subject to the following conditions.

CONDITIONS:-

- i) You shall maintain your accounts regularly and also get them audited to comply with sec. 80G (5)(iv) read with section 12A(b) and 12A(c) and submit the same before the assessing officer by the due date as per section 139(1) of the Income tax Act 1961.
- II) Every receipt issued to donor shall bear the number and date; of this order and shall state the date up to which this certificate is valid from **A.Y. 2011-2012 ONWARDS TILL IT IS RESCINDED.**
- III) No change in the deed of the trust/association shall be affected without the due procedure of Law and its intimation shall be given immediately to this office.
- IV) The approval to the institution/fund shall apply to the donations received only if the fund/institution, established in India for charitable purpose, fulfills the conditions as laid down in section 80G(i), (ii), (iii), (iv) & (v) of the Income Tax Act 1961.
- V) This office and the assessing officer shall also be informed about the managing trustees of Manager of your Trust/Society/Non Profit Company and the places where the activities of the Trust/Institution are undertaken/likely to be undertaken to satisfy the claimed objects.
- VI) You shall file the return of income of your fund/institution as per section 139(1)/(4A)/(4C) of the Income Tax Act, 1961.
- VII) **No fee or any other consideration shall be received from the beneficiaries which comes under the proviso to section 2(15) of the IT Act.**
- (VIII) **The Trust shall file approval in this office for running educational institute from competent authority.**



Copy to

1. The applicant as above.
2. The Assessing Officer.

(P.V. Rao)
Director of Income Tax,
(Exemptions), Delhi
Director of Income Tax
(Exemptions) Aayakar Bhawan Distt Centre,
Laxmi Nagar, Delhi-110092

(Satendra Kumar)
Income Tax Officer (E) (Hqrs.)

Income Tax Officer H.Q. (E)
Aayakar Bhawan, 3rd Floor, Distt. Centre,
Laxmi Nagar, Delhi-110092

1ST APPELLATE AUTHORITY & DIRECTOR (Pry. Edn.)
MUNICIPAL CORPORATION OF DELHI
UNDER RIGHT TO INFORMATION ACT, 2005
Contact No.-011-23226508

No.: APL-327/Dir PE/2011

Dated: 07/3/11

Mr. P.S. Bhati
G-20, East of Kailash
New Delhi-110065



APPEAL DECISION

The appellant is present in person. He states that he has received a reply in r/o his RTI application but he is not satisfied with it. He further states that he doesn't press further information in r/o Q. No.1, 2, 3 & 4 but wants complete information in r/o Q. No.-5.

Addl. Dir.-II/PIO and DDE (Grants) informed that the Delhi Master Plan 2021 has been notified in February 2007 and after the notification the recognition has to be considered as per the provisions contained in Delhi Master Plan 2021. The schools which were existing on the date of notification can be considered only if the relaxation is granted by the Ministry of Urban Development, Govt. of India. Thus, nothing survives in the appeal and the appeal is disposed off accordingly.

The appellant is at liberty to appeal against the said order, if not satisfied, before the Chief Information Commissioner, Central Information Commission, 'B' Wing, August Kranti Bhawan, Bhikaji Cama Place, New Delhi-110066.

Director (Edn.)/1st A.A.

Copy to:

1. Ms. Swatantar Bala, Addl. Director-II/PIO
2. Mr. Hari Chand ADC (Edn.)
3. Mr. S. P. Jain, Dy. Law Officer (Edn.)
4. Dr. Tara Gupta, DDE (Coord. /RTI/CW)



MUNICIPAL CORPORATION OF DELHI
OFFICE OF THE ASSISTANT ENGINEER-I, (M-SOUTH) -III
UNDER SEWA NAGAR FLY-OVER, SEWA NAGAR, NEW DELHI - 110003.

No.: D- 0/ /A.E.-I/MS-III/2009-10

Dated: 1/5/09

The Manager,
Aastha Public School,
L-1A-177. Near Budh Bazar, Sangam Vihar,
New Delhi - 110062.


Subject:- School Building Fitness Certificate.

It is certified that the School Building of Aastha Public School, L-1A-177, Near Budh Bazar, Sangam Vihar, New Delhi - 110062 is fit to run the Primary Classes.

You are advised to consult a competent structure designer for remedial steps to earthquake resistance and contact the officer of Fire Deptt. for fire safety. No cooking is allowed in the school premises.

This office has no bearing for un-authorized construction if any.

This certificate is valid for one year.


**Asstt. Engineer-I
(M-South) – III**

MUNICIPAL CORPORATION OF DELHI
EDUCATION DEPARTMENT: H.Q.
KASHMERE GATE, DELHI-06

No.: D-365/AEO/Grant/Edu./HQ/2009

Dated: 21/11/09

To, .
The Secretary,
Ministry of Urban Development,
Govt. of India,
New Delhi.

Subject: Regarding grant of Recognition to Schools.

Sir,

I am directed to enclose herewith a copy of the Corporation Resolution No. 739 dated 12.01.09 on the above noted subject. The cases for grant of recognition which had a minimum 200 square yards of land and fulfill other norms were being considered. Section 4.2.2.2B of MPD-2021 provides that in all unauthorized colonies whether on private or public land, from time to time, it must be ensured that for improvement of physical and social infrastructure, the minimum necessary / feasible land of services and community facilities are provided. For primary school it is 800 sq. m per 5000 population. Similarly the planning norms prescribed on Table 13.3 of MPD-2021 prescribes an area of 0.2-0.4 hectare for a primary school for 10,000 populations.

A preamble was put up before the Corporation for approval of Consolidated Revised Guidelines for Recognition of Private School. The Education Committee vide its resolution No. 14, dated 13.10.08, approved as under: -

"Having considered the proposal of the Commissioner as contained in his letter No. F.33/PE/1730/C&C dated 23.09.08 resolved that it be recommended to the corporation through the Standing Committee that proposal as contained in the letter referred to above, be approved subject to the following modifications: -

- (1) MCD should consider all those cases for private schools running in unauthorised or authorised colonies for recognition which are running on a piece of land measuring 200 sq. yards including space of 80 sq. yards for play ground as already approved in the Corporation Vide its Resolution No. 435 dated 17.01.2000.

3. जो निजी विद्यालय छात्रों को सुविधाएं नहीं दे रहे हैं उन विद्यालयों को मान्यता नहीं दी जानी चाहिए।
4. जो निगम के बड़े विद्यालय हैं उनमें एक अनुभाग मानसिक और शारीरिक रूप से विकलांग छात्रों के लिए रखा जाये तो ज्यादा बेहतर होगा। इस पर निदेशक, प्राथमिक शिक्षा द्वारा जानकारी दी गयी कि इस विषय से संबंधित मामला कोर्ट में चल रहा है।
5. अतिरिक्त आयुक्त (शिक्षा) ने कहा कि अनाधिकृत क्षेत्रों में प्रावधान के अनुसार 800 वर्गमीटर भूमि उपलब्ध होना सम्भव नहीं है। अतः 800 वर्गमीटर से कम भूमि को मंजूरी देने हेतु भारत सरकार को मामला भेजा जायेगा। अतिरिक्त आयुक्त ने कहा कि भविष्य में इसे किया जा सकता है।

Keeping in view the Resolution No. 1008 of the Standing Committee, Corporation vide its Resolution No. 739, dated 12.01.09, resolved as under:-

"Having considered the proposal of the Commissioner's as contained in his letter No. F.33/Pry.Edn./1730/C&C dated 23.09.2008 and the recommendations made by the Education Committee vide its Resolution No. 14 dated 13.10.08, resolved that the proposal of the Commissioner as contained in his letter referred to above, be approved alongwith the following recommendations made by the sub-committee constituted by the Standing Committee vide its Resolution No. 834 dated 07.11.2008:-

1. मद संख्या 412 में निजी विद्यालयों को मान्यता देने के सम्बन्ध में क्रम संख्या 2 में संशोधन करते हुए निर्णय लिया गया कि भूमि का क्षेत्रफल वर्गगज के स्थान पर वर्गमीटर किया जाना चाहिए।
2. प्रोसेसिंग फीस 5,000/- रुपये ली जानी चाहिए।
3. जो निजी विद्यालय छात्रों को सुविधाएं नहीं दे रहे हैं उन विद्यालयों को मान्यता नहीं दी जानी चाहिए।
4. जो निगम के बड़े विद्यालय हैं उनमें एक अनुभाग मानसिक और शारीरिक रूप से विकलांग छात्रों के लिए रखा जाये तो ज्यादा बेहतर होगा। इस पर निदेशक, प्राथमिक शिक्षा द्वारा जानकारी दी गयी कि इस विषय से संबंधित मामला कोर्ट में चल रहा है।
5. अतिरिक्त आयुक्त (शिक्षा) ने कहा कि अनधिकृत क्षेत्रों में प्रावधान के अनुसार 800 वर्गमीटर भूमि उपलब्ध होना सम्भव नहीं है। अतः 800 वर्गमीटर से कम भूमि को

Municipal Corporation of Delhi

Health Deptt. : South Zone

No. D/945/DHO/SZ/2008

Dated : 30-09-2008

Name of the school Aastha Public School


Situation : L-1A-177 Near Budh Bazar Sangam Vihar New Delhi-62

Shift Morning

No. of students Boys ... 50 ...
 Girls ... 80 ...
 No. of staff Male ... 1 ...
 Female ... 7 ...

1. That the accommodation provided for in class rooms as calculated floor space in the class room is sufficient/~~insufficient~~. sufficient
2. That the class room are well ventilated/~~ill~~ ventilated. well ventilated
3. That the class room are well lighted/~~ill~~ lighted. well lighted
4. That the class rooms are kept/~~not kept~~ neat and clean. Kept neat & clean
5. That the building/class/rooms does not repair/white washing etc. Does not repair
6. That the drinking water is wholesome/is unwholesome/is not wholesome (1 tap per 50 students) wholesome
 B. Sypho system exists. Exists
 1 tap for 50 students normally is needed.
7. That the latrine arrangement is flush/~~not~~ type. yes
8. No. of seats sufficient fro flush type seat per 40 male students is required.
9. That the urinal arrangement is adequate/inadequate (for 20 male students 1 urinal is required for 25 female students latrine cum urinal is required. Adequate
10. Separate for staff Yes

NOC Grant from health point of View.


 By Health Officer
 South Zone : Green Park
 New Delhi
 Deputy Health Officer
 South Zone (MCD)

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS : DELHI FIRE SERVICE : NEW DELHI - 110 001

No. F 6/DFS/MS/2008/ 2671

Dated: 23/9/2008

To: The Dy. Director (Education)
MCD, Nigam Bhanam,
Kashmere Gate,
Delhi - 6.

Sub: NOC from fire safety point of view in r/o Astha Public School, L-1A-177,
Near Budh Bazar, Sangam Vihar, New Delhi-62.

Sir,

Please refer to ~~your~~ letter No. -NIL- dated 01.7.08
on the subject noted above. In this regard, it is informed that the school premises have been visited by officer
concerned of this department in the presence of representative of school.

During the inspection, it was observed that the premises in question is comprised of ground &
one room at first floor with two exits at ground floor.
Ten rooms are at ground floor including 1 computer room &
1 office. Room at 1st fl. is used for chowkidar & affdant given by
Principal of school.

The management has provided the fire safety arrangements such as portable fire extinguish
of different type ISI marked, fire buckets filled with sand
electric siren, important tel. NO. (emergency) displayed at
notice board. The equipments checked/operated and found
functional at the time of inspection.

In view of the substantially satisfactory performance of fire protection measures, this department is of
the opinion that the school premises is considered safe from fire safety point of view. However, the following
points shall be adhered to.

1. All the means of escape shall be kept free of all types of obstruction all the time.
2. All employees shall be acquainted with the use and maintenance of all fire equipments and method of
smooth and speedy safe evacuation of occupants in case of emergency.
3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any
lapse rendering non-functional of fire safety measures, management shall be responsible.
4. This report is valid for a period of one year from the date of issue.
5. Any deviation, with regards to construction, electric installation etc. may be got verified from the
concerned authorities.

Yours faithfully


Dy. Chief Fire Officer
Delhi Fire Service

Copy to:- The chairman,
Astha Public School,
L-1A-177, Near Budh Bazar,
Sangam Vihar,
N. Delhi - 62.

DELHI JAL BOARD
Govt. of NCT Delhi
Zonal Laboratory (South) Okhla Water Work, New Delhi-25

Analysis Report of Water Sample Collected from: Challan NO: 114 dated 21-07-2008
AASW AASTHA Pub School L-1st-A-177 Near Budh Bazar, SANGAM -
VIHAR, New Delhi

Ref: ACWA (S)/Paid-178

Date: 9-8-2008

| PARTICULARS | |
|--|------------|
| PHYSICAL EXAMINATION | |
| 1. Date of Collection / Receipt | 08-08-2008 |
| 2. Colour | Clear |
| 3. Odour | NO. Oh |
| 4. Turbidity (NTU) (5 - 10) | 3.86 |
| 5. PH Value (6.5 - 8.5) | 7.7 |
| 6. Electrical Conductance (Micromhos / cm) | 684 |

| CHEMICAL EXAMINATION | |
|--|--------|
| 1. Phenolphthalein Alkalinity (mg/L) | NIL |
| 2. Total Alkalinity (200 - 600 mg/L) | 220 |
| 3. Total Hardness (Ca Co ₃) (300 - 600 mg/L) | 274 |
| 4. Carbonate Hardness (mg/L) | 220 |
| 5. Non Carbonate Hardness (mg/L) | 54 |
| 6. Calcium Hardness (mg/L) | 172 |
| 7. Magnesium Hardness (mg/L) | 102 |
| 8. Ammonia (Free & Saline) (N) | NIL |
| 9. Nitrite Nitrogen (N) | 0.028 |
| 10. Nitrate (NO ₃) (45 - 100 mg/L) | 49.0 |
| 11. Chloride (Cl) (250 - 1000 mg/L) | 62 |
| 12. Sulphate (SO ₄) (200 - 400 mg/L) | 5.2 |
| 13. Iron (Fe) (0.3 - 1.0 mg/L) | 0.4623 |
| 14. Flouride (F) (1.0 - 1.5 mg/L) | 0.08 |
| 15. Calcium (Ca) (75 - 200 mg/L) | 68.8 |
| 16. Magnesium (Mg) (30 - 150 mg/L) | 24.48 |
| 17. Residual Chlorine (mg/L) | NIL |
| 18. Total Dissolved Solids (500 - 2000 mg/L) | 333 |
| 19. Copper | (-) |
| 20. Chromium | N.D. |
| 21. Cyanide | N.D. |
| 22. Arsenic | (-) |

Remarks: The Result as per IS - 10500 - 1993

On the basis of parameters tested water source conform to IS-10500-1993.
can be consider fit for drinking purpose in the absence of alternative better
source only after disinfection and subject to satisfactory Bact Repr.

(NOTE: NO Tube Well Exist in school campus samples (water supply)
from other Residence Tower)

[Signature]
09-08-2008
Chemist
Copy to: CWA (C)

[Signature]
09/8/8
Chemist

[Signature]
14-08-08
ACWA (South)

दिल्ली नगर निगम
शिक्षा विभाग, अनुदान अनुमति

क्रमांक 112 / अनुदान/मु

दिनांक 11/3/2008

श्री जी. एस. गादी चैतन्य
आस्था इन्स्टीट्यूट ऑफ़ स्टडीज
एल-12, 17, रामप्रसिद्ध
नजदिल-62


U.P.C.



विषय :- प्राथमिक विद्यालय को मान्यता

उपरोक्त विषय पर आपके जीवन पत्र
दिनांक 11.2.2008 के सम्पर्क में आप स्वयं
अध्यापकता कार्य के कार्यक्षेत्र में आकर मान्यता
के आवेदन की 1000/- (एक हजार रुपये) पंजीकरण
शुल्क निगम कोष में जमा कराया। इसके पश्चात्
विभाग द्वारा आपके जीवन पत्र अगामी कार्यवाही
की जा रहेगी।

11/3/08
श्री गिरी शर्मा
Assistant Officer (Genl)
Mpl. Corporation of Delhi, Delhi
Nizam Bhowan, 2, Gate, Delhi



AASTHA INSTITUTE FOR ADVANCED STUDIES

By Courier

Ref No

Dated 11.02.2008

18

To

The Director of Education,
Municipal Corporation of Delhi,
Nigam Bhavan, Kashmere Gate,
Delhi-110006.


Sub:- Application Form for Registration as Primary School.

Sir,

Please find enclosed an application in prescribed format alongwith map of the lintered building on a plotted area of 400 square yards running for the last 3 years with all required facilities. We have already written to all concerned. This is a Govt.registered Trust, running Aastha Public School under its patronage. You can inspect the school, if so desired. The Trust undertakes activities on no-profit basis. In case you require any other information, please let us know. All correspondence may be made at our registred office.

Thanking you,

Yours faithfully,


(P.S. Bhati) Ex-IES
Chairman

Encl: paper clipping
and map



Smt. Sonia Gandhi
Hon'ble Chairperson, UPA



Dr. Manmohan Singh
Hon'ble Prime Minister



Shri Kamal Nath
Hon'ble Minister of Urban Development

Future of Delhi-2021

Give your Suggestions Now


Review Of Master Plan For Delhi 2021 – A Participative Approach

The Master Plan for Delhi (MPD-2021) has been planned with a vision and policy guidelines for the perspective period of twenty years. It emphasizes on public participation. This review is being undertaken to provide realistic Mid-term corrections and modifications in the Master Plan Policies, Norms/Standards and the implementation procedure to suit the changing needs of the society. The review would also facilitate modification and revisiting of specific provisions of the plan that could not be foreseen/anticipated during the plan formulation.

- The suggestions can be uploaded by the organizations, RWAs, individuals on the link available on the home page of DDA Website www.dda.org.in
New Suggestions for Review of Master Plan Delhi – 2021
View Suggestions (public can view suggestions received for review of MPD-2021)
- The public and other stakeholders may also participate, interact and make presentation of their suggestions, in the six "Open House" sessions to be conducted by DDA in various districts. The date, time and details of the venue shall be intimated subsequently.
- The Hard/Soft copy of the suggestions can also be submitted in the various Zonal Offices of DDA to the respective Zonal Officers, the details of which are given below:-

| DISTRICT | NORTH | | EAST | WEST | SOUTH | CENTRAL |
|--|---|--|---|--|--|--|
| | NORTH I | NORTH II | | | | |
| PLANNING ZONES | C- Civil Line P-I- Narela P-II- North Delhi | H- North West Delhi-I M- North West Delhi-II N- North West Delhi-III | E- Trans Yamuna O- River Yamuna/ River Front | G- West Delhi-I K-I- West Delhi-II K-II- Dwarka L- West Delhi-III | F-South Delhi-I J- South Delhi-II | A- Old City B- City Extn. (Karol Bagh) D- New Delhi |
| NODAL OFFICERS FOR RECEIVING SUGGESTIONS | Sh. Amit Das, Director (Plg.), DDA Narela. Zone (P-I & P-II), 11th Floor, Vikas Minar, New Delhi. Tel: 23370326 Email: dimarela@dda.org.in | Sh. Vinod Sakle, Director (Plg.), DDA, Rohini / PPR Zone (M&N), Deepali Chowk, Sector-3, New Delhi, Rohini Project Office Tel: 27940526 E-mail: dirrohini@dda.org.in | Sh. Tapan Mandal, Director (Plg.), DDA, Zone (E&O), 3rd Floor, Vikas Minar, New Delhi. Tel: 23370932 E-mail: dirtya@dda.org.in | Sh. P.S. Uttarwar Director (Plg.), DDA Dwarka, Zone (K-1, K-II & L), DDA Office, Manglapuri, Palam Tel: 25036238/ 25035096 E-mail: dirdwk@dda.org.in | Sh. A.K. Manna Director (Plg.), DDA, Zone (F&H), 4th Floor, Vikas Minar, New Delhi. Tel: 23378167 E-mail: dirap1@dda.org.in | Sh. Partho Dhar Director (Plg.), DDA, Zone (A&B), 4th Floor, Vikas Minar, New Delhi Tel: 23370097 E-mail: dirap2@dda.org.in |
| | Mrs. Archana Mahapatra Director (Plg.), DDA, Zone (C&G), 3rd Floor, Vikas Minar, New Delhi Tel: 23379109 Email: dirplg@dda.org.in | Sh. A.K. Manna Director (Plg.), DDA, Zone (F&H), 4th Floor, Vikas Minar, New Delhi. Tel: 23378167 E-mail: dirap1@dda.org.in | | Mrs. Archana Mahapatra Director (Plg.), DDA, Zone (C&G), 3rd Floor, Vikas Minar, New Delhi. Tel: 23379109 Email: dirplg@dda.org.in | Sh. Chandu Bhutia Dy. Dir. (Plg.) Zone (J), 12th Floor, Vikas Minar, New Delhi Tel: 23378288, Ext. 347 E-mail: dydirplguc@dda.org.in | Sh. Sabyasachi Das Director (Plg.), DDA, Zone (D), 2nd Floor, Vikas Minar, New Delhi. Tel: 23379043 E-mail: dirplggis@dda.org.in |

- All the suggestions received by DDA till 31.01.2012 may be viewed on DDA website referred in Para 1 above.
- All suggestions received till 30th April 2012 will be considered.



Ministry of Urban Development

Government of India
www.urbanindia.nic.in

PROFORMA

1. Name of the school *AASTHA PUBLIC SCHOOL*
2. Name of the District and Zone in which it is situated *South District
South Zone*
3. Date of First opening of the school *1-4-2005*
4. Special aims of the school *To bring out children from lower strata of the society at par to the main stream*
5. Stage upto which educational facilities provided *From 1st class to IIIrd class*
6. Medium of instruction at various stages *English*
7. Stage of education upto which recognition desired *upto Vth class*
8. In case recognition is desired upto middle and higher secondary stages, subjects in which recognitions desired *Not appli*
9. Number and categories of recognized schools already functioning in that locality. *one*

10. General desirability of the school with reference to the suitability and sufficiency of the existing school in the locality and the probable effect on them. *The only one existing school in the area is more concentrating on middle & Secondary Education, hence there is desirability of a good Primary School.*

11. Whether the school is run on commercial basis for profit to any No, it is run individual or group of individuals. *by a Charitable Regd. Trust on no profit no loss basis.*

12. Constitution of the Managing Committee of the school together with the names of the members of the Committee and their occupations.

1. P. S. Bhati Chairman Retired I. E. S. from Govt. of India
2. Krishna Bhati Principle of the School (Admin.)
3. C. P. Singh, Advocate

13. (a) Is the Managing Committee of the school registered under the The Manggi Societies Registration Act, 1860? (If registered, an attested copy of the certificates of registration to be attached). *Committee of the School registered under the National Trust Act, 1881 vide Regn. No. 1544/05 dt 21 (An attested copy enclosed).*

(b) Name of the Manager/ of the school. *Shri P. S. Bhati, Ex-IES*
Chairman

(c) Whether the school has a duly approved scheme of the management. *yes*

14. Has the school its own building or is housed in a rented building? *Own Building*

15. Total area of the school campus with the total built-up area. *Total area 400 S.Y*
Covered area 300 S.Y

16. Accommodation provided in the school building (dimensions to be indicated in all cases.) *A ~~Sketch~~ sketch to this effect enclosed.*

- (a) Number of the classrooms with seating capacity in each.
10 class rooms with seating capacity of 30 students each
in a lighted building, map enclosed.
- (b) Details of furniture, fans, ventilations, provided in each class-
room. Benches, Fans, Tubelights, Blackboards, windows
& ventilations have been provided.

(c) School library and reading room. yes

(d) Science laboratories. — yes

(e) School hall. — yes

(f) Staff room. — yes

(g) Room for head of the school. yes

(h) Office room. yes

(i) Storeroom. yes

(j) Refreshment room for students. yes

(k) Bath room and lavatories for day scholars. yes

(l) Drinking water facilities. — yes — R.O. Water

17. Total area of play grounds and the number of play grounds available and the games played. *One play ground of 100 S.Y. Games played - Hand Ball, Sea-Saw, Slider, Kho-Kho, Race etc.*

18. Details of apparatus and equipment for:

(a) Physics. *NA*

(b) Chemistry *NA*

(c) Physiology and Hygiene. *NA*

(d) Home Science. *NA*

(e) Drawing, Painting, etc. *Yes*

(f) Music. *Yes*

(g) Biology. *NA*

(h) Agriculture. *NA*

(i) History. *NA*

(j) Geography *NA*

(k) Cookery *NA*

(l) Craft *Decorative Items*

(m) Commerce. *NA*

(n) Technical subjects. *Computer Basics*

19. Number of books in the Library. 50 Nos.

20. Is there a separate section of library for teachers? yes

If so, how many books are there in the section? 20 Nos

21. Amount spent on the purchase of books for the library every year from the school was opened. 1000/- per year

22. Financial position of the school.

(a) reserve, Fund. Not yet

(b) Average monthly income from (i) fees (ii) others sources

RS. 13,775/-

RS. 16,667/-

(c) Total monthly income. ~~RS. 13,775/-~~ RS. 30,442/-

(d) Average monthly expenditure RS. 30,442/-

23. Number of students: 130

| Name of the class attendance | No. of Section | No. of Student in each section | Average in each section |
|---------------------------------|----------------|-----------------------------------|-------------------------------|
| Ist class | 2 | 25 | 50 |
| II nd class | 2 | 25 | 50 |
| III rd class | 1 | 30 | 30 |

24. Whether admission in the school is open to all without any discrimination based on religion, caste, race, place of birth or any of these. *yes*

25. Whether any religious instruction is imparted and if so, whether it is compulsory. *Not applicable*

26. Details of curriculum and syllabus followed in each class.
Games & Cultural activities & Syllabus finalized by School Managing Committee

27. Educational and vocational guidance facilities available. *yes*

28. Whether the management maintains a provident fund scheme or any other similar scheme for the staff. *Not applicable*

29. Rates of fees and other funds charges (Class-wise)

Rs. 100/- per child per month

30. Numbers of students residing with ~~residing with~~ their parents/guardians and arrangement made ~~their residence~~ ^{from} ~~ance~~.

Some students come at their own
Some are brought by their wards
Rest are managed by School Aaya.

31. Details of staff including Head of School:

| Name | Date of Birth | Qualifications If any |
|------------------|---------------|-------------------------------------|
| P. S. Bhati | 5-7-1942 | M. A. (Econ.) with several training |
| Krishna Bhati | 15-9-1950 | B. A. (Accou) |
| Chowkidar | — | Literate |
| Safai Karamchori | — | Literate |
| Subject teaching | Date of | Present pay with |
| Whether whole | appointment | scale of pay |
| at present | | time |
| or P. time | | |
| 1. | | |
| 2. | | |
| 3. | | |
| 4. | | |
| 5. | | |

32. Details of facilities available for physical Education and recreation.

Some Games & Creative activities etc.

33. Medical facilities for students. *First Aid facility*

34. details of co-curricular, cultural and other activities organized in the school. Every year on Republic Day ~~&~~, Independence Day, Annual Function etc. are organized with VIPs.

35. Any other information.

The idea of starting a Trust was to impart higher professional training to educated youths to get jobs in corporate sector and MNCs, but later discovered that there is only one M.C.D. Primary School in 17.5 square kilometer area of Sangam Vihar, which is leaving the wide gap in capacity and aspirants, hence on the demand of the people we decided to start Aastha Public School.

Date:

1-1-2007


S/d

Chairman/Manager