

OFFICE OF THE EXECUTIVE ENGINEER  
WESTERN DIVISION NO.13:DDA  
LAKKAR MANDI:KIRTI NAGAR:N.DELHI  
NIT No.71. 72/EE/WD-13/DDA/2009-10.

**TENDER NOTICE**


Scaled item rate tender are invited for the following work by the Ex.Engineer:WD-13:DDA., Lakkar Mandi:Kirti Nagar:N.Delhi-15 up to 3.00P.M. on behalf of the DDA from the approved and eligible contractor of appropriate class of D.D.A. The tender shall be opened on the same day at 3.30 P.M. by the EE/WD-13/DDA at Ground Floor, Vikas Minar, ITO., DDA. office in the presence of the contractors and their authorized representatives.

The tender documents can be had any working day up to 3.00P.M. from the tender clerk/tender sale counter, Vikas Minar and from the office of the Sr. A.O./CAU/DWK/DDA., Manglapuri, New Delhi between 11.00A.M. to 3.00P.M. on payment of the cost of the tender mentioned against each work(non-refundable). The tender shall be accompanied with earnest money in cash, upto Rs.10,000/-/FDR/CDR/DD of a scheduled Bank issued in favour of Sr. Account Officer, CAU, DWK. Zone as mentioned against each work. Sales of tender forms will be stopped four days (including the date of opening) before the date fixed for the opening of tender.

The manner of submission of tender opening of the same and entry of contractors/their authorized representative to the place of opening shall be provided in clause 3 (a), (b) & (c) of PWD-6 forming part of the tender documents.

The earnest money should be given in the form of call deposit or demand draft/pay order of schedule bank of guaranteed by the Reserve Bank of India in favour of Sr. A.O./CAU/DWK/DDA., New Delhi.

NIT No.	Name of work.	Estt. Cost.	Last date of sale.
		<u>Earnest Money.</u> Cost of Tender.	<u>Date of Opening.</u> Time allowed.
71/EE/ WD-13/ 2009-11	M/o completed scheme under nazul A/c-II SWZ. SH:- Repair of foot path, boundary wall NHP Udham Singh park, Hari Nagar, G-8 area Rajouri Gaurden(under spl. Repair).	<u>Rs.3,33,630/-</u>	<u>01-01-2010</u>
		<u>Rs.6,673/-</u>	<u>04-01-2010</u>
		500/- +20/-Vat.	Two month.
72/EE/ WD-13/ 2009-10	D/o land for Dwarka project in South West of Delhi Ph-II. SH:-C/o path for connecting pump house of tube well No.AT-30, AT-31 with road in Sector-24, Dwarka.	<u>Rs.2,84,054/-</u>	<u>01-01-2010</u>
		<u>Rs.5,681/-</u>	<u>04-01-2010</u>
		Rs.500/- + 20/- vat	Two month

  
Executive Engineer  
WD-13:DDA.



# SCHEDULE OF QUANTITIES

Name of work : M/O Completed scheme under Nazul A/C-II SWZ.

Sub-Head :

Repair of foot path, boundary wall in NHP Uddham Singh Park  
Hari Nagar, G-8 area Rajouri Garden, (Under Spl. Repair)

N-1-1 N-71/19-10  
Estimated Cost Rs 333630=5

S.No.	Description of item	Qty.	Unit	Rate	Amount.
1	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-in-charge. a) 1:3:6 or richer mix.	0.80	Cum.		
2	Dismantling steel work manually/by mechanical means in built up sections without dismembering and stacking within 50 metres lead as per direction of Engineer-in-charge.	186.00	Kg.		
3	Extra for marking of structural steel work required to be re-erected.	186.00	Kg.		
4	Brick work with cement fly ash bricks of CD-75 in foundation and plinth in cement mortar 1:6(1 cement:6 coarse sand)	1.30	Cum.		
5	Structural steel work in single section fixed with or without connecting plate including cutting, hoisting fixing in position and applying a priming coat of approved steel primer all complete.	1153.00	Kg.		

135

EDM  
AE (P)

EDM D.M.

6 Welding by gas or electric plant i/c transportation of plant at site, Complete.

15440.00 Per cm  
cm

7 Providing and laying cement concrete in retaining walls, return walls, walls of any thickness including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or facing courses parapets, coping, bed blocks anchor blocks plan window sills, fillets etc. upto plinth level excluding the cost of centering shuttering and finishing.

a) 1:2:4 (1 cement: 2 coarse sand: 4 graded stone agg. 20mm nominal size.)

0.86 Cum.

8 15mm cement plaster on the rough side of single or half brick wall of mix.

a) 1:6 (1 cement: 6 coarse sand)

6.00 Sqm.

9 12mm cement plaster of mix.

a) 1:6 (1 cement: 6 coarse sand)

65.20 Sqm.

10 Finishing walls with water proofing cement paint of required shade.

a) New work (Two or more coats applied @ 3.84 Kg per 10 sqm.)

71.20 Sqm.

11 Centering and shuttering including strutting, propping etc. and removal of form work for:  
a) Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets etc.

7.50 Sqm.

137



12 Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.

55.00 Sqm.

13 Finishing walls with water proofing cement paint of required shade.

a) Old work (one or more coats applied @ 2.20 kg / 10 sqm) over priming coat of primer applied @ 0.80 litres / 10 sqm complete including cost of priming coat.

960.00 Sqm.

14 Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade.

a) One or more coats on old work.

451.00 Sqm.

15 Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.

527.00 Sqm.

16 40 mm thick fine rough stone flooring over 20mm (average) thick base of cement mortar 1:5 (1 cement: 5 coarse sand) including pointing with cement mortar 1:2 (1 cement: 2 stone dust) with an admixture of pigment to match the shade of stone.

527.00 Sqm.

12.12.13

12.12.13

139

17 Disposal of malba, building rubbish etc i/c loading  
unloading & stacking by mechanical transport for all  
lead and lift complete.

11600 Cum

*[Signature]*  
JEBOM

*[Signature]*  
Assistant Engineer (P)  
W.D.-13, D.I.A.

*[Signature]*  
Executive Engineer  
W.D.-13, D.I.A.

A .....  
C .....  
D .....  
OW .....  
CS .....  
*[Signature]*

*[Signature]*  
JEBOM A.C. (P)

*[Signature]*  
Executive Engineer  
W.D.-13, D.I.A.

(141)



# SCHEDULE OF QUANTITY

N.I.T. No 72/09-10  
Estimated Cost Rs. 2,84,054/-

Name of work : D/O land for Dwarka Project in South West of Delhi, Phase-II.

Sub-Head : Construction of Path for connecting Pump Houses of tube wells No. AT-30 & AT-31 with road in Sector-24, Dwarka.

SNO.	DESCRIPTION OF ITEM	QUANTITY	UNIT	RATE	AMOUNT
1.	Earth work in excavation by mechanical means (Hydraulic excavator/manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm. on plan) including dressing of sides and ramming of bottoms, lift upto 1.5m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50m				
a)	All kinds of soil.	44.00	CUBIC METRE		
2.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
a)	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	7.50	CUBIC METRE		
b)	1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40mm nominal size)	15.20	CUBIC METRE		
3.	Brick work with <del>lime</del> flyash bricks of class designation 75 in foundation and plinth in :				
a)	Cement mortar 1:6 (1 cement : 6 coarse sand)	57.00	CUBIC METRE		
4.	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating, each deposited layer by ramming and watering, lead up to 50m and lift up to 1.5m.	65.00	CUBIC METRE		
5.	Providing and laying 60mm thick factory made cement concrete interlocking paver block of M-30 grade made by block making machine with storm water connection and of approved size and design shape laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with coarse sand etc. all complete as per the direction of Engineer-in-charge.	200.00	SQUARE METRE		

AE (P)

135

DESCRIPTION OF ITEM	QUANTITY	UNIT	RATE	AMOUNT
---------------------	----------	------	------	--------

12mm cement plaster of mix : 1:4 (1 cement : 4 fine sand)

168.00 SQUARE METRE

Structural steel work in single section fixed with or without connecting plate including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.

53.00 Kilogram

10/11/1958  
AT 10/11/1958

RECEIVED  
ACCTG. (AEP) FOR (P) F. E. W. D. 13  
W. D. 13, D. D. A.

137