

DELHI DEVELOPMENT AUTHORITY  
WESTERN DIVISION NO-8  
Sector-5, Central Nursery, Dwarka  
New Delhi-110075

No.F.81(10)Acs/WD-8/DDA/2012-13 / 1609

Dt. 12/11/12

To

M/s Yogendra Pal,  
109, Sultanpur, Mehrauli,  
New Delhi-110030.

Name of work : M/o works pertaining to completed/closed schemes under Dwarka Zone.

SH : Improvement of public facilities in the parks of sector-6, Dwarka.

Ref: : Letter of intent vide No.F.81 (02)A/cs/WD-8/DDA/2012-13/1572  
dt.5.12.2012

Ref of P.G.: : FDR No. 331127 A/c No. 61173070373 dt. 7.12.2012 amounting to  
Rs.60,000.00 of the State Bank of Bikaner and Jaipur.

Dear Sir,

Your item rate e-tender dated 24.9.12 for the above mentioned work has been accepted on behalf of DDA as per terms and conditions given below:

1. Estt. Cost. : Rs.8,42,006.00 (Rupees Eight lacs forty two thousand and six)only
2. Quoted Amount. : Rs.11,97,112.00 (Rupees Eleven lacs ninety seven thousand one hundred twelve)only
3. Accepted Tender Amount : Rs.11,97,112.00 (Rupees Eleven lacs ninety seven thousand one hundred twelve)only  
(As per annexure 'A')
4. Percentage for the Purpose : 42.17% above the Estt Cost based on D.S.R.-2007.
5. Time allowed : 60 Days.


You are requested to attend this office to sign the agreement along with one non-judicial stamp paper worth Rs.50/- (fifty) within 7 days from the date of issue of this letter. Please note that if you fail to sign the agreement within seven days from the date of issue of this letter, the acceptance of the tender is likely to be withdrawn and the earnest money as well as performance guarantee will be forfeited.

You are also requested to contact the A.E. II of this division and start the work at once. Please note that time allowed for carrying out the work as entered in the tender form shall be reckoned from the 10th day after the date of issue of this letter to commence the work.

VAT, Cess, & other statutory taxes shall be deducted as applicable from time to time.

Encl: Schedule of awarded rates

Yours faithfully,

  
Executive Engineer  
Western Division-8

# DELHI DEVELOPMENT AUTHORITY

Name of Work: M/o works pertaining to completed / closed Schemes under Dwarka Zone

SH : Improvement of public facilities in the Parks of Sector 6 Dwarka.

## SCHEDULE OF QUANTITIES

NIT No. : 10/EE/WD-8/DDA/12-13

Estimated Cost: Rs. 8,42,006/-

*Accepted Rate*

### NAME OF THE FIRM

YOGENDRA PAL SINGH

S. No.	Description of Item	Qty	Unit	Rate	Rate in words	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil.	38.00	CUM.	155.00	Rupees One Hundred Fifty Five Only	5890.00
2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	19.00	CUM.	15.00	Rupees Fifteen Only	285.00
3	Supplying and filling in plinth with Jamuna sand under floors including, watering, ramming consolidating and dressing complete.	4.00	CUM.	555.00	Rupees Five Hundred Fifty Five Only	2220.00
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : a) 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)	8.00	CUM.	3255.00	Rupees Three Thousand Two Hundred Fifty Five Only	26040.00
5	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : a) 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	3.70	CUM.	5055.00	Rupees Five Thousand Fifty Five Only	18703.50
6	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases up to floor five level excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size).	12.40	CUM.	5555.00	Rupees Five Thousand Five Hundred Fifty Five Only	68882.00
7	Centering and shuttering including strutting, propping etc. and removal of form for : a) Foundations, footings, bases of columns, etc. for mass concrete.	7.50	Sqm.	295.00	Rupees Two Hundred Ninety Five Only	2212.50

	b) Suspended floors, roofs, landings, balconies and access platform.	83.00	Sqm.	355.00	Rupees Three Hundred Fifty Five Only	29465.00
	c) Lintels, beams, plinth beams, girders, bressumers and cantilevers.	32.00	Sqm.	355.00		11360.00
	d) Columns, Pillars, Piers, Abutments, Posts and Struts.	48.00	Sqm.	355.00	Rupees Three Hundred Fifty Five Only	17040.00
8	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. a) Thermo-Mechanically Treated bars.	2415.00	Kg.	70.55	Rupees Seventy and Fifty Five Paise Only	170378.25
9	Brick work with F.P.S. bricks of class designation 75 in foundation and plinth in: a) Cement mortar 1:8 (1 cement : 8 coarse sand)	15.00	CUM.	3355.00	Rupees Three Thousand Three Hundred Fifty Five Only	50325.00
10	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level up to floor V level in all shapes and sizes in : a) cement mortar 1:8 (1 cement : 8 coarse sand)	24.00	CUM.	3355.00	Rupees Three Thousand Eight Hundred Fifty Five Only	92520.00
11	Half brick masonry with F.P.S. brick of class designation 75 in foundations and plinth in. a) cement mortar 1:4 (1 cement : 4 coarse sand)	11.00	Sqm.	555.00	Rupees Five Hundred Fifty Five Only	6105.00
12	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters	19.20	Sqm.	1855.00	Rupees One Thousand Eight Hundred Fifty Five Only	35616.00
13	Providing and fixing ISI marked 85x42mm oxidised M.S. pull bolt lock conforming to IS : 7534 with necessary screws bolts, nut and washers etc. complete.	12.00	Each	95.00	Rupees Ninety Five Only	1140.00
14	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade with necessary screws etc. complete : a) 150x10 mm	12.00	Each	85.00	Rupees Eighty Five Only	1020.00
15	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete : a) 100 mm	24.00	Each	85.00	Rupees Eighty Five Only	2040.00

16	<p>Providing and fixing factory made ISI marked steel glazed doors, windows and ventilators side /top /centre hung with beading and all members such as K11 B and K12 B etc. complete of standard rolled steel sections, joints miltred and flash butt welded and sash bars tenoned and riveted with 15x3mm lugs, 10cm long, embedded in cement concrete blocks 15x10x10cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of hinges, pivots, float glass panes with glazing clips and special metal sash putty of approved make and a priming coat of approved steel primer excluding the cost of metal beading and other fittings except necessary hinges or pivots complete as per approved design.</p>	82.10	Kg.	155.00	Rupees One Hundred Fifty Five Only	12725.50
17	<p>Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints miltred and welded with 15x3 mm lugs 10cm long embedded in cement concrete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with dash fastener or with fixing clips or with bolts and nuts as require including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.</p>	184.00	Kg.	75.00	Rupees Seventy Five Only	13800.00
18	<p>Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : a)25 mm thick.</p>	37.00	Sqm.	955.00	Rupees Nine Hundred Fifty Five Only	35335.00
19	<p>Providing and fixing list quality ceramic glazed wall tiles conforming to IS : 15622 (thickness to be specified by the manufacture ) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.</p>	108.30	Sqm.	755.00	Rupees Seven Hundred Fifty Five Only	81766.50

20	Providing & laying pressed clay tiles (as per approved pattern) 20 mm nominal thickness and of approved size on roofs jointed with cement mortar 1:4 (1 cement : 4 coarse sand) mixed with 2% integral water proofing compound laid over a bed of 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand) and finished neat complete.	78.00	Sqm.	505.00	Rupees Five Hundred Five Only	39390.00
21	12 mm cement plaster of mix : a) 1:6 (1 cement: 6 fine sand)	143.00	Sqm.	125.00	Rupees One Hundred Twenty Five Only	17875.00
22	15 mm cement plaster on the rough side of single or half brick wall of mix: a) 1:6 (1 cement: 6 fine sand)	20.50	Sqm.	155.00	Rupees One Hundred Fifty Five Only	3177.50
23	6 mm cement plaster of mix : a) 1:3 (1 cement: 3 fine sand)	78.00	Sqm.	125.00	Rupees One Hundred Twenty Five Only	9750.00
24	White washing with lime to give an even shade: a) New work (three or more coats)	241.00	Sqm.	15.00	Rupees Fifteen Only	3615.00
25	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : a) Two or more coats on new work	58.00	Sqm.	65.00	Rupees Sixty Five Only	3770.00
26	Providing and fixing soil, waste and vent pipes : a) 100 mm dia. Sand cast Iron S&S pipe as per IS: 1729.	19.80	MTR.	755.00	Rupees Seven Hundred Fifty Five Only	14949.00
	b) 75 mm diameter : Sand cast Iron S&S pipe as per IS: 1729.	16.20	MTR.	705.00	Rupees Seven Hundred Five Only	11421.00
27	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors : a) Sand Cast Iron S&S as per IS- 1729.	15.00	Each	595.00	Rupees Five Hundred Ninety Five Only	
28	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete including cutting and making good the walls and floors wherever required : a) W.C. pan with ISI marked black solid plastic seat and lid	6.00	Each	355.00	Rupees Three Hundred Fifty Five Only	

29	<p>Providing and fixing white vitreous china flat back or wall corner type flipped front urinal basin of 430x260x350mm and 340x410x265mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I. clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :</p> <p>a) Range of two urinal basins with 5 litre white P.V.C. automatic flushing cistern.</p>	6.00	Each	4655.00	Rupees Four Thousand Six Hundred Fifty Five Only	27930.00
30	<p>Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require :</p> <p>a) White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm C.P. brass pillar tap.</p>	6.00	Each	1455.00	Rupees One Thousand Four Hundred Fifty Five Only	8730.00
31	<p>Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.</p>	6.00	each	755.00	Rupees Seven Hundred Fifty Five Only	4530.00 ✓
32	<p>Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &amp; cold water supply including all CPVC plain &amp; brass threaded fittings This includes jointing of pipes &amp; fittings with one step CPVC solvent cement, trenching, refilling &amp; testing of joints complete as per direction of Engineer in Charge.</p> <p>External work</p> <p>a) 20 mm nominal outer dia. Pipes.</p>	105.00	Each	155.00	Rupees One Hundred Fifty Five Only	16275.00
33	<p>Concealed pipe including painting with anti corrosive bitumastic paint, cutting chases and making good the wall</p> <p>a) 15 mm dia nominal bore</p> <p>b) 20 mm dia nominal bore</p>	90.00	each	205.00	Rupees Two Hundred Five Only	18450.00
34	<p>Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc.</p> <p>External work</p> <p>a) 20 mm dia. nominal bore</p>	114.00	mTR.	255.00	Rupees Two Hundred Fifty Five Only	29070.00
35	<p>Providing and fixing brass ferrule with C.I. mouth cover including boring and tapping the main :</p> <p>a) 15 mm nominal bore</p>	3.00	each	555.00	Rupees Five Hundred Fifty Five Only	1665.00
36	<p>Providing and fixing uplasticised PVC connection pipe with brass unions :</p> <p>a) 15 mm nominal bore</p>	12.00	mTR.	85.00	Rupees Eighty Five Only	1020.00

	Providing G.I. pipes and fittings with two coats of anti-corrosive mastic paint of approved quality : a) 15 mm diameter pipe	90.00	mTR.	15.00	Rupees Fifteen Only	1350.00
	b) 20 mm diameter pipe	114.00	mTR.	15.00	Rupees Fifteen Only	1710.00
38	Providing and filling sand of grading zone V or coarser grade all- round the G.I. pipes in external work. a) 20 mm diameter pipe	114.00	MTR.	85.00	Rupees Eighty Five Only	9690.00
39	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) a) 15 mm nominal bore	12.00	Each	125.00	Rupees One Hundred Twenty Five Only	1500.00
	b) 20 mm nominal bore	12.00	Each	155.00	Rupees One Hundred Fifty Five Only	1860.00
40	Providing and placing on terrace (at all floor levels) polyethylene water storage tank (ISI : 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	3000.00	per litre	6.55	Rupees Six and Fifty Five Paise Only	19650.00
41	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. a) 15 mm nominal bore	12.00	Each	505.00	Rupees Five Hundred Five Only	6060.00
42	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8831 a) 15 mm nominal bore a) 15mm nominal bore	12.00	Each	495.00	Rupees Four Hundred Ninety Five Only	5940.00
43	Providing, laying and jointing glazed stoneware pipes grade 'A' with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : a) 150 mm diameter	24.00	MTR.	255.00	Rupees Two Hundred Fifty Five Only	6120.00
44	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design. a) 150 mm diameter S.W. pipe	24.00	each	355.00	Rupees Three Hundred Fifty Five Only	8520.00
45	Providing and fixing square-mouth S.W. gully trap grade 'A' complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design : a) 100x100 mm size P type	9.00	Each	905.00	Rupees Nine Hundred Five Only	8145.00


	<p>aiding and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :</p> <p>a) 250 mm dia. R.C.C. pipe</p>	90.00	MTR.	405.00	Rupees Four Hundred Five Only	36450.00
47	<p>Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design:</p> <p>a) 250 mm diameter S.W. pipe</p>	90.00	MTR.	455.00	Rupees Four Hundred Fifty Five Only	40950.00
48	<p>Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) R.C.C. top slab with 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size) inside plastering 12mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) finished with a floating coat of neat cement complete as per standard design :a) Inside size 80x80cm and 45cm deep including CI cover</p> <p>with frame (light duty) 455x610 mm internal dimensions total weight of cover and frame to be not less than 38 kg (weight of cover 23kg and weight of frame 15kg) With FPS bricks with class designation 75</p>	9.00	.Each	655.00	Rupees Six Hundred Fifty Five Only	5895.00
49	<p>Constructing brick masonry circular type manhole 0.91m internal dia at bottom and 0.58m dia at top in cement mortar 1:4 (1 cement : 4 coarse sand), in side cement plaster 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement, foundation concrete 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 40mm nominal size), and making necessary channel in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) finished with a floating coat of neat cement all complete as per standard design :</p> <p>a) 0.91 m deep with S.F.R.C. cover and frame (heavy duty, HD-20 grade designation) 560mm internal diameter conforming to I.S. 12592, total weight of cover and frame to be not less than 182kg., fixed in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including centering shuttering all complete. (Excavation, foot rests and 12mm thick cement plaster at the external surface shall be paid for separately) :</p> <p>With F.P.S. bricks class designation 75</p>	3.00	Each	6555.00	Rupees Six Thousand Five Hundred Fifty Five Only	19665.00



50	<p>Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :</p> <p>a) For pipes 250 to 300 mm diameter</p>	3.00	Each	555.00	Rupees Five Hundred Fifty Five Only	1665.00
51	<p>Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m :</p> <p>All kinds of soil</p> <p>a) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia.</p>	90.00	MTR.	165.00	Rupees One Hundred Sixty Five Only	14850.00
52	<p>Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge :</p> <p>a) Water bound macadam road</p> <p>b) bituminous road</p>	4.05	Sqm.	1855.00	Rupees One Thousand Eight Hundred Fifty Five Only	7512.75
		1.35	Sqm.	1855.00	Rupees One Thousand Eight Hundred Fifty Five Only	2504.25
53	<p>Providing and fixing stone slab table rubbed, edges rounded and polished of size 75x50 cm deep and 1.8 cm thick fixed in urinal partitions by cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth.</p> <p>a) Granite Stone of approved shade.</p>	3.00	Sqm.	3255.00	Rupees Three Thousand Two Hundred Fifty Five Only	9765.00
54	<p>Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :</p> <p>a) 15 mm nominal bore</p>	6.00	each	255.00	Rupees Two Hundred Fifty Five Only	1530.00

56	10 mm cement plaster 1:3 (1 cement: 3 fine sand) finished with a floating coat of neat cement and thick coat of Lime wash on top of walls when dry for bearing of R.C.C. slabs and beams.	4.90	Sqm.	165.00	Rupees One Hundred Sixty Five Only	808.50
	Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. a) 100 mm	6.00	Each	355.00	Rupees Three Hundred Fifty Five Only	2130.00
	b) 75 mm dia	15.00	Each	305.00	Rupees Three Hundred Five Only	4575.00
57	Providing and fixing plain bend of required degree. a) 100 mm	6.00	Each	355.00	Rupees Three Hundred Fifty Five Only	2130.00
	b) 75 mm	15.00	Each	305.00	Rupees Three Hundred Five Only	4575.00
58	Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) including cost of cutting holes and making good the walls etc. : a) For 100 mm dia. Pipe	6.00	Each	125.00	Rupees One Hundred Twenty Five Only	750.00
59	Providing and fixing heel rest sanitary bend a) 100 mm dia Sand cast iron S&S as per IS - 1729	3.00	Each	305.00	Rupees Three Hundred Five Only	915.00
60	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter: a) 100 mm	48.00	Each	285.00	Rupees Two Hundred Eighty Five Only	13680.00
	b) 75 mm	60.00	Each	255.00	Rupees Two Hundred Fifty Five Only	15300.00
61	Providing and fixing terminal guard: 100 mm Sand cast iron S&S as per IS - 1729	6.00	Each	255.00	Rupees Two Hundred Fifty Five Only	1530.00
62	Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100x100x100 mm Sand cast iron S&S as per IS - 1729	6.00	Each	455.00	Rupees Four Hundred Fifty Five Only	2730.00

Making plinth protection 60mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size) over 75mm bed by dry brick ballast 40mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth	53.00	Sq.m.	405.00	Rupees Four Hundred Five Only	21465.00
TOTAL					1197112.25

  
 Executive Engineer  
 Western Division-8  
 BDA